CONTENTS

PART I (Vol. 82)
Committees and Sponsors vi
Preface xv

Opening Lecture
Thermodynamics: a view from outside
G. Astarita (Naples, Italy) 1–14

APPLICATIONS

Physical property needs in industry
K.R. Cox (Houston, TX, USA) 15–26
Requirements of thermodynamic data in the chemical industry
S. Zeck and D. Wolf (Ludwigshafen/Rhein, Germany) 27–38
Computer aided molecular and mixture design with specified property constraints
R. Gani and Aa. Fredenslund (Lyngby, Denmark) 39–46
Computer aided molecular design: a novel method for optimal solvent selection
O. Odele and S. Macchietto (London, UK) 47–54
Modeling metallurgical processes using a chemical-engineering simulator
S. Watanasiri, S. Anavi (Cambridge, MA, USA) and M.W. Wadsley (Clayton, Vic., Australia) 55–62
The thermodynamic of long-lived organic pollutants
S.I. Sandler and H. Orbey (Newark, DE, USA) 63–69
Measurements at high dilution: ecological significance
S. Maaßen, A. Reichl and H. Knapp (Berlin, Germany) 71–78
Measurement and prediction of vapor–liquid equilibria for a reactive system: application to ethylene oxide + nonyl phenol
N.C. Patel and M. A. Young (South Charleston, WV, USA) 79–92
Phase equilibria at high pressures for the ethane–heptane and ethane–triethylaluminum systems
A.M. Beard, J.C. Mullins (Clemson, SC, USA) and G.A. Daniels (Baton Rouge, LA, USA) 93–100

PETROLEUM AND ENERGY

A systematic investigation into the most suitable data for the development of equations of state for petroleum reservoir fluids
R.C. Merril, Jr. (Sunbury-on-Thames, UK) and T.M.J. Newley (Anchorage, AK, USA) 101–110
A generalized approach to prediction of two and three phase CO_2–hydrocarbon equilibria
M.A. Trebble, P.H. Salim and P.M. Sigmund (Calgary, Alb., Canada) 111–118

Application of the Peng–Robinson equation of state to calculate interfacial tensions and profiles at vapour–liquid interfaces
P.M.W. Cornelisse, C.J. Peters and J. de Swaan Arons (Delft, The Netherlands) 119–129
VLE in hydrocarbons of greatly differing volatilities
K. Chylinski (Warsaw, Poland), G. Saville and W.A. Wakeham (London, UK) 131–139
Measurements, correlation and prediction of Henry's constants of light alkanes in model heavy hydrocarbons and petroleum fractions
M. Zuliani, A. Barreau, J. Vidal (Rueil-Malmaison, France), P. Alessi and M. Fermeglia (Trieste, France) 141–142
A new apparatus for studies of near critical hydrocarbon fluids. Part I: PVT, density and viscosity
E.H. Stenby, R. Amin and J. Jepson (Lyngby, Denmark) 149–156
Detection of asphaltene precipitation and amounts precipitated by measurement of electrical conductivity
P. Fotland, H. Anfindsen and F.H. Fadnes (Bergen, Norway) 157–164
High pressure liquid–liquid equilibria in ternary systems containing water, benzene, toluene, *N*-hexane and *N*-hexadecane
G. Brunner, A. Steffen and R. Dohrn (Hamburg, Germany) 165–172
Experimental and modeling studies on the phase behaviour of high H_2S-content natural gas mixtures
M.-X. Gu, Q. Li, S.-Y. Zhou, W.-D. Chen and T.-M. Guo (Beijing, China) 173–182
The distribution of hydrogen sulfide between an aqueous amine solution and liquid propane
J.J. Carroll, F.-Y. Jou, A.E. Mather and F.D. Otto (Edmonton, Alb., Canada) 183–190
Henry's law constant for propane and butane in solutions of N-methylpyrrolidone with alkanolamines
G. Eliosa-Jimenez and A. Trejo (Mexico D.F., Mexico) 191–197
A combined Soave–Redlich–Kwong and NRTL equation for calculating the distribution of methanol between water and hydrocarbon phases
J.N. Kristensen, P.L. Christensen, K.S. Pedersen and P. Skovborg (Lyngby, Denmark) 199–206
Vapor–liquid equilibria of selected aromatic hydrocarbons in triethylene glycol
H.-J. Ng, C.-J. Chen and M. Razzaghi (Edmonton, Alb., Canada) . 207–214
High pressure adsorption of methane, nitrogen and carbon dioxide on coal substrates
A.E. DeGance, W.D. Morgan and D. Yee (Tulsa, OK, USA)..... 215–224

BIOTECHNOLOGY

Fluid properties and phase equilibria in aqueous phase bioseparations
P. Todd, D.T.L. Hawker, R.H. Davis and R.B. Owen (Boulder, CO, USA) 225–235
Theory for protein solubilities
D. Stigter and K.A. Dill (San Francisco, CA, USA) 237–249
Molecular simulation of self-assembly in surfactant and protein solutions
A.D. Mackie, E.M. O'Toole, D.A. Hammer and A.Z. Panagiotopoulos (Ithaca, NY, USA)..... 251–260

Thermodynamic model of liquid–solid equilibria for natural fats and oils
K.W. Won (Irvine, CA, USA) 261–273
Phase equilibrium studies on aqueous two-phase systems containing amino acids and peptides
C. Großmann, J. Zhu and G. Maurer (Kaiserslautern, Germany) . 275–282
Salt effect on partition coefficient of glycine, L-valine, and L-phenyl alanine in n-octanol–water system
C. Yokoyama, M. Terui and S. Takahashi (Sendai, Japan) 283–290

NEW MATERIAL

Studies on volume phase transition of N-substituted acrylamide hydrogels
H. Inomata and S. Saito (Sendai, Japan)..... 291–302
Producing a carbon fiber precursor by supercritical fluid extraction
G. Bolaños, G.-Z. Liu, T. Hochgeschurtz and M.C. Thies (Clemson, SC, USA) 303–310
Rapid expansion of supercritical solutions (RESS): fundamentals and applications
P.G. Debenedetti, J.W. Tom, X. Kwauk and S.-D. Yeo (Princeton, NJ, USA) 311–321
Solubility of PbO in supercritical water
C. Yokoyama, A. Iwabuchi, S. Takahashi (Sendai, Japan) and K. Takeuchi (Narashino, Japan)..... 323–331

THERMODYNAMIC MODELING

Molecular modeling in the search of improved equation of state
N.A. Smirnova and A.I. Victorov (St. Petersburg, Russian Federation)..... 333–344
20 years of Redlich–Kwong equation of state
G. Soave (Milan, Italy) 345–359
A comprehensive comparison of mixing rules for calculation of phase equilibria in complex systems
K. Knudsen, E.H. Stenby and Aa. Fredenslund (Lyngby, Denmark). 361–368
Modelling of the phase behaviour of mixtures in the critical region using the augmented Peng–Robinson equation of state
R. Solimando, M. Rogalski (Nancy, France), E. Neau and A. Peneloux (Marseille, France) 369–377
An equation of state for carboxylic acids
C.H. Twu, J.E. Coon and J.R. Cunningham (Fullerton, CA, USA).. 379–388
The molecular interaction group contributions for dielectric solvents
R.-S. Wu and L.L. Lee (Norman, OK, USA)..... 389–396
Measurement and prediction of solid–liquid phase equilibria of organic compound mixtures
H. Shibuya, Y. Suzuki, K. Yamaguchi (Yokohama, Japan), K. Arai and S. Saito (Sendai, Japan) 397–405

Author Index (Volumes 82 and 83) 407–408

PART II (Vol. 83)

COMPUTATIONAL CHEMISTRY

Applications of molecular simulation
K.E. Gubbins (Ithaca, NY, USA) 1–14
The Lennard-Jones fluid revisited: new thermodynamic data and new equation of state
K. Aim, J. Kolafa, I. Nezbeda (Suchdol, Czechoslovakia) and H.L. Vörtler (Leipzig, Germany) 15–22
Accurate calculation of excess thermal, infinite dilution, and related properties of liquid mixtures via molecular-based simulation
A.A. Chialvo (Charlottesville, VA, USA) 23–32
Intramolecular variations in chain molecular fluid structure
V.J. Vasudevan and J.R. Elliott (Akron, OH, USA) 33–41
Entropy of hydrophobic hydration: a new statistical mechanical formulation
T. Lazaridis and M.E. Paulaitis (Newark, DE, USA) 43–49
Thermodynamic and structural properties of methanol–water mixtures: experiment, theory, and molecular simulation
C.A. Koh, H. Tanaka, J.M. Walsh, K.E. Gubbins and J.A. Zollweg (Ithaca, NY, USA) 51–58
Liquid–liquid equilibria in binary systems: Monte-Carlo simulations for calculating the effect of nonrandom mixing
S.M. Lambert, D.S. Soane and J.M. Prausnitz (Berkeley, CA, USA) .. 59–68
Monte-Carlo study of local structures in benzene–methanol mixtures
Y. Adachi (Kasugai, Japan) and K. Nakanishi (Kyoto, Japan) 69–76
Structure of aqueous solutions of amphiphilies: t-buytl alcohol and urea solutions
H. Tanaka and K. Nakanishi (Kyoto, Japan) 77–84
Thermodynamic and transport properties of fluids in permeable micropores
S. Murad, P. Ravi and J.G. Powles (Chicago, IL, USA) 85–92

CRITICAL PHENOMENA

Molecular charisma in supercritical fluids
C.A. Eckert and B.L. Knutson (Atlanta, GA, USA) 93–100
Novel high pressure critical phase transitions in multicomponent fluid mixtures
R.J. Sadus (Karlsruhe, Germany) 101–108
Two- and three-phase equilibria and critical locus for the system of HCF22–HFC134a
H. Nishiumi, M. Komatsu, T. Yokoyama and S. Kohmatsu (Tokyo, Japan) 109–117
Description of ternary liquid–liquid equilibria near the critical region by scaling law
C. Zhong, W. Wang (Beijing, China) and Aa. Fredenslund (Lyngby, Denmark) 119–126
The critical constants of normal alkanes from methane to polyethylene. II. Application of the Flory theory
C. Tsonopoulos and Z. Tan (Florham Park, NJ, USA) 127–138

The critical properties of dilute N-alkane mixtures
M.T. Gude and A.S. Teja (Atlanta, GA, USA) 139–148
Experimental measurements of phase equilibria for ternary and quaternary systems of glucose, water, CO_2 and ethanol with a novel apparatus
R. Dohrn, A.P. Bünz, F. Devlieghere and D. Thelen (Hamburg, Germany)..... 149–158
Vapor liquid equilibria in ternary mixtures of water–alcohol–non polar gases
M.S. Zabaloy, G.D.B. Mabe, S.B. Bottini and E.A. Brignole (Bahia Blanca, Argentina)..... 159–166
Separation process of ethanol from aqueous solutions using supercritical carbon dioxide
N. Ikawa, Y. Nagase, T. Tada, S. Furuta and R. Fukuzato (Kobe, Japan) 167–174
Correlation of steroid solubilities in supercritical carbon dioxide
P.C. Chen, Y.P. Chen and D.S.H. Wong (Taipei, Taiwan)..... 175–182
Phase equilibria of supercritical CO_2–fatty oil component binary systems
R. Bharath, S. Yamane, H. Inomata, T. Adshiri and K. Arai (Sendai, Japan 183–192
Phase equilibria of ethene + limonene and ethene + cineole from 285 K to 308 K and pressures to 8 MPa
E.G. De Azevedo, H.A. Matos, (Lisbon, Portugal) and M.N. Da Ponte (Monte da Caparica, Portugal) 193–202
Design and synthesis of highly CO_2-soluble surfactants and chelating agents
T.A. Hoefling, R.R. Beitle, R.M. Enick and E.J. Beckman (Pittsburgh, PA, USA) 203–212

AQUEOUS SYSTEMS AND ELECTROLYTES

Computer simulation of vapor–liquid equilibrium in mixed solvent electrolyte solutions
H.J. Strauch and P.T. Cummings (Charlottesville, VA, USA)..... 213–222
Chemical potentials in ionic systems from Monte Carlo simulations with distance-biased test particle insertions
G. Orkoulas and A.Z. Panagiotopoulos (Ithaca, NY, USA)..... 223–231
Application of fluctuation solution theory to strong electrolyte solutions
J.P. O'Connell (Charlottesville, VA, USA)..... 233–242
Simutaneous correlation of activity coefficient and partial thermal properties for electrolyte solutions using a model with ion-specific parameters
Y. Liu (Cambridge, MA, USA), U. Gren, H. Theliander and A. Rasmuson (Gothenburg, Sweden) 243–251
Simultaneous solubility of ammonia and sulfur dioxide in water at temperatures from 313.15 K to 373.13 K and pressures up to 2.2 MPa
B. Rumpf, F. Weyrich and G. Maurer (Kaiserslautern, Germany) . 253–260
Thermodynamics of the sodium bromide–methanol–water and sodium bromide–ethanol–water two ternary systems by the measurements of electromotive force at 298.15 K
S. Han and H. Pan (Zhejiang, China) 261–270

Measurement and correlation of solubilities of oxygen in aqueous solutions containing salts and sucrose
Y. Iwai, H. Eya, Y. Itoh and Y. Arai (Fukuoka, Japan) and K. Takeuchi (Chiba, Japan) 271–278
Computer-operated differential static apparatus for the measurement of vapor–liquid equilibrium data
J.R. Rarey and J. Gmehling (Oldenburg, Germany) 279–287

POLYMERS

Molecular thermodynamics of polymer solutions
Y. Hu, X. Ying (Shanghai, China), D.T. Wu (Philadelphia, PA, USA) and J.M. Prausnitz (Berkeley, CA, USA) 289–300
A segment-based local composition model for the Gibbs energy of polymer solutions
C.-C. Chen (Cambridge, MA, USA) 301–312
Equations of state for square well chain fluids using the generalized Flory approach
C.K. Hall (Raleigh, NC, USA), A. Yethiraj, (Urbana, IL, USA) and J.M. Wichert (Raleigh, NC, USA) 313–322
Continuum configurational bias Monte-Carlo studies of alkanes and polyethylene
J.J. de Pablo, M. Laso, U.W. Suter (Zürich, Switzerland) and H.D. Cochran (Oak Ridge, TN, USA) 323–331
The chemical potentials of polymer systems from computer simulations
S. K. Kumar (University Park, PA, USA) 333–340
The effect of copolymer architecture on solution behaviour
B.M. Hasch, S.-H. Lee and M.A. McHugh (Baltimore, MD, USA) .. 341–348
Thermodynamics and phase behaviour of liquid crystalline main-chain polymers
M. Ballauff (Karlsruhe, Germany) 349–355
Thermodynamics of phase separation in aqueous solutions in polymers
M. Yu, H. Nishiumi (Tokyo, Japan) and J. de Swaan Arons (Delft, The Netherlands) 357–364
Thermodynamics of aqueous poly(ethylene glycol)–dextran two-phase systems using the consistent osmotic virial equation
J. Gaube, A. Pfennig and M. Stumpf (Darmstadt, Germany)..... 365–373
Phase behaviour of binary ethylene–propylene copolymer solutions in sub- and supercritical ethylene and propylene
C.J. Gregg (Bethlehem, PA, USA), S.-J. Chen (Annandale, NJ, USA), F.P. Stein (Bethlehem, PA, USA) and M. Radosz (Annandale, NJ, USA) 375–382
Pressure pulsed induced critical scattering: spinodal and binodal curves for the system polystyrene + methylcyclohexane
P.A. Wells, T.W. de Loos and L.A. Kleintjens (Delft, The Netherlands). 383–390
Phase behaviour of LCST and UCST solutions of branchy copolymers: experiment and SAFT modelling
S.-J. Chen, I.G. Economou and M. Radosz (Annandale, NJ, USA). 391–398
Solid–liquid equilibrium studies on ε-caprolactam–oligomers systems
D. Frezzotti, L. Bonifaci, G. Cavalca, E. Malaguti and G.P. Ravanetti (Mantova, Italy) 399–406

Equation of state predictions of sorption isotherms in polymeric materials
R. Hariharan, B.D. Freeman, R.G. Carbonell (Raleigh, NC, USA) and G.C. Sarti (Bologna, Italy) 407–414

SOLID/LIQUID INTERFACE AND HYDRATES

Solvation, freezing, and the crystal/liquid interface: modern theories and computer simulation
A.D.J. Haymet (University of Sydney, NSW, Australia) 415–426
Polar guest-molecules in natural gas hydrates. Effects of polarity and guest–guest-interactions on the Langmuir-constants
B. Kvamme and O.K. Førrisdahl (Porsgrunn, Norway) 427–435
Lattice distortion by guest molecules in gas-hydrates
M.-J. Hwang, G.D. Holder and S.R. Zele (Pittsburgh, PA, USA) ... 437–446
A first order method of hydrate equilibrium estimation and its use with new structures
J.P. Lederhos, R.L. Christiansen and E.D. Sloan (Golden, CO, USA). 445–454
Experimental study on propane hydrate equilibrium conditions in aqueous electrolyte solutions
P.R. Bishnoi and P.D. Dholabhai (Calgary, AL, USA) 455–462

Author Index (Volumes 82 and 83) 463–464